

# Evidence-Based Teen Pregnancy Prevention Programs at a Glance

Sexual activity	Number of sexual partners	Contraceptive use	Pregnancies	STIs (including HIV)	Technology needed (audio-visual/internet)	Parent engagement	Service learning project	Condom demonstration
-----------------	---------------------------	-------------------	-------------	----------------------	---	-------------------	--------------------------	----------------------

This table provides a snapshot of program models that have undergone a Teen Pregnancy Prevention Evidence Review (TPPER) and been approved as evidence-based programs (EBPs). Teen Pregnancy Prevention Program (TPP) grantees can use this table as a starting point to narrow down the list of EBPs that may be a good fit for their organization and community; they should also do a thorough review of any EBP they consider, including the study that supports the evidence. Learn more on the [TPPER website](#).

Grantees should aim to select EBPs they can implement in an evaluated setting with an evaluated population (indicated with a \* in those columns). Grantees considering implementation in settings and with populations that have not been evaluated should consult their OPA Project Officer.

**Note:** The TPPER is updated on an ongoing basis. This resource reflects findings released in the April 2023 review.

Program Name	Program Type	TPPER Outcomes					Duration of Outcomes	Activities				Train-the-trainer	Train-the-facilitator/educator	# of Sessions	Session Length	Program Duration	Setting	Intended Population	Age	Languages	
Aban Aya Youth Project	SHE	●					Post-intervention	X							16-21	45 min	4 yrs	S*, CB	(M, F)*, AA*	10-14*	En
Adult Identity Mentoring (Project AIM)	PYD	●					3-12 mos						X		12	50 min	6 wks	S*, CB	(M, F)*, All, (AA)*, LI	11-14 (12-14)*	En, Sp
AIM 4 Teen Moms	PYD		●				12 mos	X		X			X		8	60-90 min	10 wks	CB*, HM*	F*, All (AA, H)*, P	14-20 (15-19)*	En
All4You!>**	SHE	●	●				6 mos	X	X	X	X		X		14	70-90 min 140 min service learning sessions	5-7 wks	OS*	(M/F)*, All*, H*, YAS	14-18 (14-17)*	En
Be Proud! Be Responsible!	SHE	●	●	●			3-12 mos	X					X		6	50 min	6 days	C, S, AS*, CB*	(M/F)*, All, (AA,H)*	11-18 (11-17)*	En
Be Proud! Be Responsible! Be Protective!	SHE		●				12 mos	X					X		8	60 min	8 days	S, OS*, AS*, CB	F*, All (H, AA)*, P/P	12-18 (14-17)*	En

\*\*All4You2! is an adapted version that excludes the service learning component

## Program Type

**SHE** - Sexual health education  
**SRA** - Sexual risk avoidance  
**PYD** - Positive youth development  
**C** - Clinic-based  
**HR** - Healthy relationship  
 ♦ - Added in 2023

## Settings

**S** - School  
**C** - Clinic  
**AS** - After-school program  
**CB** - Community-based  
**HM** - Home  
**OS** - Other setting, including virtual  
 \* - Evaluated setting

## Intended Population

**F** - Female  
**M** - Male  
**AA** - African American  
**H** - Hispanic  
**AI/AN** - American Indian/Alaskan Native  
**W** - White  
**A** - Asian  
**All** - All races/ethnicities  
**LI** - Low income  
**R** - Rural  
**LGBTQ+** - LGBTQ+ inclusive  
**PF** - Program for families  
**YAS** - Youth in alternative schools

**HIV** - Parent with history of HIV  
**STI** - History of STI  
**SUD** - Substance use disorder  
**RA** - Runaway youth  
**JYI** - Justice-involved youth  
**P/P** - Pregnant/parenting  
**P** - Parenting  
 \* - Evaluated population

## Available Languages

**En** - English  
**Sp** - Spanish  
**O** - Other

## TPPER Outcomes

● Evidence of effect

# Evidence-Based Teen Pregnancy Prevention Programs at a Glance

Program Name	Program Type	TPPER Outcomes					Duration of Outcomes	Activities				Train-the-trainer	Train-the-facilitator/educator	# of Sessions	Session Length	Program Duration	Setting	Intended Population	Age	Languages
		Sexual activity	Number of sexual partners	Contraceptive use	Pregnancies	STIs (including HIV)		Technology needed (audio-visual/internet)	Parent engagement	Service learning project	Condom demonstration									
Children's Aid Society (CAS) Carrera Program	PYD	●			●		3 yrs for pregnancy 12 mos for all other outcomes	X	X	X			Daily	2-3 hours	7 yrs	S, AS*, CB	(M/F)*, All, (H, AA)*	10-12 at program entry	En, Sp	
Crossroads	SHE			●			6 mos	X			X		X	16	7 hrs/day	3 days	CB*, C, HM, AS	All	17-19 18-19*	En
¡Cuidate!	SHE		●	●			3 mos	X			X		X	6	60 min	2 days+	S, AS*, CB*	(M/F)*, All, (H, AA)*	13-18 14-17*	En, Sp
Draw the Line/Respect the Line	SHE	●	●				12 mos post-intervention (for boys)		X		X	X	X	19	45 min	3 yrs	S*, OS	(M/F)*, All*	11-14*	En, Sp
Familias Unidas	SRA	●					24 mos	X	X				X	6	1-2 hrs	6 wks	AS, CB, OS	H*, PF	12-17 14-15*	En, Sp
Families Talking Together (FTT)	HR	●					12 mos	X	X				X	9	Varies	Varies	C*, AS*, CB*, HM*	(M/F)*, H*, AA*, PF	10-14 (11-14)*	En, Sp
FOCUS	SHE		●				11 mos	X					X	4	120 min	8 hrs	S, OS*, CB	F*, All*	(17+)*	En

## Program Type

**SHE** - Sexual health education  
**SRA** - Sexual risk avoidance  
**PYD** - Positive youth development  
**C** - Clinic-based  
**HR** - Healthy relationship  
 ♦ - Added in 2023

## Settings

**S** - School  
**C** - Clinic  
**AS** - After-school program  
**CB** - Community-based  
**HM** - Home  
**OS** - Other setting, including virtual  
 \* - Evaluated setting

## Intended Population

**F** - Female  
**M** - Male  
**AA** - African American  
**H** - Hispanic  
**AI/AN** - American Indian/Alaskan Native  
**W** - White

**A** - Asian  
**All** - All races/ethnicities  
**LI** - Low income  
**R** - Rural  
**LGBTQ+** - LGBTQ+ inclusive  
**PF** - Program for families  
**YAS** - Youth in alternative schools

**HIV** - Parent with history of HIV  
**STI** - History of STI  
**SUD** - Substance use disorder  
**RA** - Runaway youth  
**JYI** - Justice-involved youth  
**P/P** - Pregnant/parenting  
**P** - Parenting  
 \* - Evaluated population

## Available Languages

**En** - English  
**Sp** - Spanish  
**O** - Other

## TPPER Outcomes

● Evidence of effect

# Evidence-Based Teen Pregnancy Prevention Programs at a Glance

Program Name	Program Type	TPPER Outcomes					Duration of Outcomes	Activities				Train-the-trainer	Train-the-facilitator/educator	# of Sessions	Session Length	Program Duration	Setting	Intended Population	Age	Languages
		Sexual activity	Number of sexual partners	Contraceptive use	Pregnancies	STIs (including HIV)		Technology needed (audio-visual/internet)	Parent engagement	Service learning project	Condom demonstration									
Generations**	C			●			12 mos	X					X	Varies	Varies	Varies	C*	F*, (AA)*, LI, P	13-19 Avg age 18*	En
Get Real (Middle School)	SHE	●					Post-intervention		X		X	X	X	27	45 min	3 yrs	S*	(M/F)*, All*, LGBTQ+	11-14*	En
Girl2Girl◇	SHE			●			Post-intervention	X			X				Varies	20 wks	OS*	F* (LGBTQ+)	14-18	En
Health Improvement Project for Teens (HIP Teens)	SHE	●	●	●			6 mos	X			X		X	4 (plus 2 boosters) Option to split into 8	120 min (if 4 sessions) 60 min (if 8 sessions)	8 hrs	C*, AS*, CB*	F*, All*	15-19*	En
Heritage Keepers Abstinence Education	SRA	●					12 mos	X	X				X	5 or 10	45 or 90 min	5-10 days	S*	(M/F)*, All*	11-18 (12-15)*	En, Sp

\*\*No new evidence of effectiveness identified in 2023 evidence review

## Program Type

**SHE** - Sexual health education  
**SRA** - Sexual risk avoidance  
**PYD** - Positive youth development  
**C** - Clinic-based  
**HR** - Healthy relationship  
**◇** - Added in 2023

## Settings

**S** - School  
**C** - Clinic  
**AS** - After-school program  
**CB** - Community-based  
**HM** - Home  
**OS** - Other setting, including virtual  
**\*** - Evaluated setting

## Intended Population

**F** - Female  
**M** - Male  
**AA** - African American  
**H** - Hispanic  
**AI/AN** - American Indian/  
 Alaskan Native  
**W** - White

**A** - Asian  
**All** - All races/ethnicities  
**LI** - Low income  
**R** - Rural  
**LGBTQ+** - LGBTQ+ inclusive  
**PF** - Program for families  
**YAS** - Youth in alternative schools

**HIV** - Parent with history of HIV  
**STI** - History of STI  
**SUD** - Substance use disorder  
**RA** - Runaway youth  
**JIY** - Justice-involved youth  
**P/P** - Pregnant/parenting  
**P** - Parenting  
**\*** - Evaluated population

## Available Languages

**En** - English  
**Sp** - Spanish  
**O** - Other

## TPPER Outcomes

● Evidence of effect

# Evidence-Based Teen Pregnancy Prevention Programs at a Glance

Program Name	Program Type	TPPER Outcomes					Duration of Outcomes	Activities				Train-the-trainer	Train-the-facilitator/educator	# of Sessions	Session Length	Program Duration	Setting	Intended Population	Age	Languages
		Sexual activity	Number of sexual partners	Contraceptive use	Pregnancies	STIs (including HIV)		Technology needed (audio-visual/internet)	Parent engagement	Service learning project	Condom demonstration									
High-school FLASH, version 3.0	SHE			●			3 mos				X		X	15	50 min	3-5 wks	S*	All*, LGBTQ+	14-18 (14-16*)	En, Sp
HORIZONS	SHE			●		●	12 mos				X			2 4 follow-up calls	4 hrs 15 min follow-up calls	8 hrs	C*, CB	F*, All*	15-21 (18-19*)	En
IN-clued	SHE			●			12 mos	X						1 plus 2 workshops for health care staff	3 hrs 90 min health care staff workshops	1 day	S*, C*, CB*	LGBTQ+*	14-19*	En
It's Your Game: Keep it Real (IYG)	SHE	●		●			12 mos	X			X		X	24	50 min	2 yrs	S*, AS	(M/F)*, (H, AA)* All	12-14*	En
LeadHer	SHE			●			12 mos	X					X	6, 2 one-on-one sessions	5 hrs 60 mins	6 wks	S*, AS, OS, CB	F*, All	14-19*	En
Linking Families and Teens (LiFT)	SHE				●		3 mos	X	X				X	1	6 hrs	1 day	S*, C*, CB	All*	13-19*	En, Sp

## Program Type

**SHE** - Sexual health education  
**SRA** - Sexual risk avoidance  
**PYD** - Positive youth development  
**C** - Clinic-based  
**HR** - Healthy relationship  
 ♦ - Added in 2023

## Settings

**S** - School  
**C** - Clinic  
**AS** - After-school program  
**CB** - Community-based  
**HM** - Home  
**OS** - Other setting, including virtual  
 \* - Evaluated setting

## Intended Population

**F** - Female  
**M** - Male  
**AA** - African American  
**H** - Hispanic  
**AI/AN** - American Indian/Alaskan Native  
**W** - White  
**A** - Asian  
**All** - All races/ethnicities  
**LI** - Low income  
**R** - Rural  
**LGBTQ+** - LGBTQ+ inclusive  
**PF** - Program for families  
**YAS** - Youth in alternative schools

**HIV** - Parent with history of HIV  
**STI** - History of STI  
**SUD** - Substance use disorder  
**RA** - Runaway youth  
**JY** - Justice-involved youth  
**P/P** - Pregnant/parenting  
**P** - Parenting  
 \* - Evaluated population

## Available Languages

**En** - English  
**Sp** - Spanish  
**O** - Other

## TPPER Outcomes

● Evidence of effect

# Evidence-Based Teen Pregnancy Prevention Programs at a Glance

Program Name	Program Type	TPPER Outcomes					Duration of Outcomes	Activities				Train-the-trainer	Train-the-facilitator/educator	# of Sessions	Session Length	Program Duration	Setting	Intended Population	Age	Languages
		Sexual activity	Number of sexual partners	Contraceptive use	Pregnancies	STIs (including HIV)		Technology needed (audio-visual/internet)	Parent engagement	Service learning project	Condom demonstration									
Love Notes	HR	●	●	●			6 mos	X				X	X	13	60 min	Varies	CB*, AS*, OS, S	(M/F)*, All*, (AA)*, LGBTQ+	14-24 (14-17)*	En, Sp
Making Proud Choices!	SHE	●	●				6 mos	X		X			X	8	60 min	8 hrs	S, AS*, CB*, OS	(M/F)*, All*, (AA)*, LGBTQ+	11-18 (11-16)*	En, Sp
Nu-CULTURE (Healthy Futures)	SHE	●					Immediate post-intervention	X	X			X	X	24**	50 min	3 yrs	S*	(M/F)*, All, (H)*	11-14	En
Peer Group Connection High School (PGC-HS) ♦	PYD	●					12 mos		X	X		X		18	45 min	1 yr	S*	(M/F)*, All(H)*	14-15	En, Sp
Plan A ♦	SHE		●				9 mos	X		X				1	23 min	1 day	C*, CB, S	F*, AA*, H*	18-19*	En, Sp
Positive Potential Be The Exception	PYD	●					12 mos	X					X	5	45-50 min	5 days, 1 end-of-year assembly for 3 yrs	S*	(M/F)*, R	11-14*	En
Possessing Your Power	PYD		●				6 mos	X					X	6	2 hrs	2-6 wks	CB*, S	M, All (AA)*	10-18 (13-17)*	En
Positive Prevention PLUS	SHE	●	●				6 mos		X	X		X		13	45 min	13 days	CB, S*	(M/F)*, All, (H)*, LGBTQ+	12-18 (14-17)*	En, Sp

\*\*Plus optional summer, optional 10 week afterschool

## Program Type

**SHE** - Sexual health education  
**SRA** - Sexual risk avoidance  
**PYD** - Positive youth development  
**C** - Clinic-based  
**HR** - Healthy relationship  
**♦** - Added in 2023

## Settings

**S** - School  
**C** - Clinic  
**AS** - After-school program  
**CB** - Community-based  
**HM** - Home  
**OS** - Other setting, including virtual  
**\*** - Evaluated setting

## Intended Population

**F** - Female  
**M** - Male  
**AA** - African American  
**H** - Hispanic  
**AI/AN** - American Indian/Alaskan Native  
**W** - White

**A** - Asian  
**All** - All races/ethnicities  
**LI** - Low income  
**R** - Rural  
**LGBTQ+** - LGBTQ+ inclusive  
**PF** - Program for families  
**YAS** - Youth in alternative schools

**HIV** - Parent with history of HIV  
**STI** - History of STI  
**SUD** - Substance use disorder  
**RA** - Runaway youth  
**JY** - Justice-involved youth  
**P/P** - Pregnant/parenting  
**P** - Parenting  
**\*** - Evaluated population

## Available Languages

**En** - English  
**Sp** - Spanish  
**O** - Other

## TPPER Outcomes

● Evidence of effect

# Evidence-Based Teen Pregnancy Prevention Programs at a Glance

Program Name	Program Type	TPPER Outcomes					Duration of Outcomes	Activities				Train-the-trainer	Train-the-facilitator/educator	# of Sessions	Session Length	Program Duration	Setting	Intended Population	Age	Languages
		Sexual activity	Number of sexual partners	Contraceptive use	Pregnancies	STIs (including HIV)		Technology needed (audio-visual/internet)	Parent engagement	Service learning project	Condom demonstration									
Power Through Choices	SHE			●	●		6 mos for contraceptive use, 12 mos for pregnancy	X			X		X	10	90 min	5-10 wks	OS*	F/M, All (H)*, YAS, LGBTQ+, JIY	13-18 (14-17)*	En
Prime Time	PYD	●					30 mos		X	X			X	Varies	Varies	18 mos	C*	F*, All (AA)*	13-18 14-17*	En
Project IMAGE	SRA				●		12 mos	X			X	X	X	7-12	1-4 hrs	5-11 wks	C*	F*, AA*, H*, STI*	14-18*	En
Project TALC	HR, SRA			●			4 yrs after program start		X		X			24	2-3 hrs	12 wks to 4-6 yrs	CB*	(M/F)*, All (H)*, PF*, HIV*	11-18 14-17*	En
Promoting Health Among Teens! Abstinence-Only Intervention	SRA	●					3-24 mos	X	X				X	8-9	45-60 min	8 hrs	S, AS*, CB*	(M/F)*, All (H, AA)*	11-18 (11-14)*	En
Promoting Health Among Teens! Comprehensive Abstinence and Safer Sex Intervention	SHE		●				3-24 mos	X			X		X	12	60 min	12 hours	S, AS*, CB*	(M/F)*, All (AA)*, LI	11-18 (11-13)*	En
Pulse (two studies reviewed)♦	SHE			●			6 wks	X						16	Varies		OS	F*, AA*, H*	18-20	En, Sp

## Program Type

**SHE** - Sexual health education  
**SRA** - Sexual risk avoidance  
**PYD** - Positive youth development  
**C** - Clinic-based  
**HR** - Healthy relationship  
♦ - Added in 2023

## Settings

**S** - School  
**C** - Clinic  
**AS** - After-school program  
**CB** - Community-based  
**HM** - Home  
**OS** - Other setting, including virtual  
\* - Evaluated setting

## Intended Population

**F** - Female  
**M** - Male  
**AA** - African American  
**H** - Hispanic  
**AI/AN** - American Indian/Alaskan Native  
**W** - White

**A** - Asian  
**All** - All races/ethnicities  
**LI** - Low income  
**R** - Rural  
**LGBTQ+** - LGBTQ+ inclusive  
**PF** - Program for families  
**YAS** - Youth in alternative schools

**HIV** - Parent with history of HIV  
**STI** - History of STI  
**SUD** - Substance use disorder  
**RA** - Runaway youth  
**JIY** - Justice-involved youth  
**P/P** - Pregnant/parenting  
**P** - Parenting  
\* - Evaluated population

## Available Languages

**En** - English  
**Sp** - Spanish  
**O** - Other

## TPPER Outcomes

● Evidence of effect

# Evidence-Based Teen Pregnancy Prevention Programs at a Glance

Program Name	Program Type	TPPER Outcomes					Duration of Outcomes	Activities				Train-the-trainer	Train-the-facilitator/educator	# of Sessions	Session Length	Program Duration	Setting	Intended Population	Age	Languages
		Sexual activity	Number of sexual partners	Contraceptive use	Pregnancies	STIs (including HIV)		Technology needed (audio-visual/internet)	Parent engagement	Service learning project	Condom demonstration									
Raising Healthy Children (formerly known as the Seattle Social Development Project)	PYD	●	●		●	●	Post-intervention at ages 18, 21, 24, 27	X				X		Varies	Varies	Multi-year	S*	(M/F)*, All*	5-12 (6-12)*	En
Reducing the Risk	SHE	●		●	●		3-6 mos			X	X	X		16	45-60 min	5-8 wks	S*, CB*	(M/F)*, All(AA)*, LGBTQ+	14-18 (14-17)*	En, Sp
Safer Choices	SHE			●			2 yrs after program start	X	X	X	X			21	45 min	2 yrs	S*	(M/F)*, All*	14-16 (14-17)*	En
Safer Sex Intervention	C, SRA	●	●	●			9 mos	X		X				4	10-50 min	6 mos	C*	F*, All (AA)*, STI	12-23 (14-19)*	En
Seventeen Days	SRA	●				●	3-6 mos	X		X		X		1	45 min+	45 min+	C*, CB, S	F*, All (AA, W)*	14-19 (14-17)*	En
Sexual Health and Adolescent Prevention (SHARP)	SHE			●			12 mos	X		X				1	3.5-4 hrs	1 day	OS*	(M/F)*, All (W)*, JIY*	15-19*	En
SiHLE	SHE		●	●	●	●	12 mos				X			4	4 hrs	16 hrs	C*, CB	F*, AA*	14-18 (14-17)*	En

## Program Type

**SHE** - Sexual health education  
**SRA** - Sexual risk avoidance  
**PYD** - Positive youth development  
**C** - Clinic-based  
**HR** - Healthy relationship  
 ♦ - Added in 2023

## Settings

**S** - School  
**C** - Clinic  
**AS** - After-school program  
**CB** - Community-based  
**HM** - Home  
**OS** - Other setting, including virtual  
 \* - Evaluated setting

## Intended Population

**F** - Female  
**M** - Male  
**AA** - African American  
**H** - Hispanic  
**AI/AN** - American Indian/Alaskan Native  
**W** - White  
**A** - Asian  
**All** - All races/ethnicities  
**LI** - Low income  
**R** - Rural  
**LGBTQ+** - LGBTQ+ inclusive  
**PF** - Program for families  
**YAS** - Youth in alternative schools

**HIV** - Parent with history of HIV  
**STI** - History of STI  
**SUD** - Substance use disorder  
**RA** - Runaway youth  
**JIY** - Justice-involved youth  
**P/P** - Pregnant/parenting  
**P** - Parenting  
 \* - Evaluated population

## Available Languages

**En** - English  
**Sp** - Spanish  
**O** - Other

## TPPER Outcomes

● Evidence of effect

# Evidence-Based Teen Pregnancy Prevention Programs at a Glance

Program Name	Program Type	TPPER Outcomes					Duration of Outcomes	Activities				Train-the-trainer	Train-the-facilitator/educator	# of Sessions	Session Length	Program Duration	Setting	Intended Population	Age	Languages
		Sexual activity	Number of sexual partners	Contraceptive use	Pregnancies	STIs (including HIV)		Technology needed (audio-visual/internet)	Parent engagement	Service learning project	Condom demonstration									
Sisters Saving Sisters	SHE	●	●		●		12 mos	X			X		X	5	1 hr	Varies	C*, CB	F*, AA*, H*	12-19 (14-17)*	En
STRIVE	PYD	●					12 mos		X				X	5	90-120 min	5 wks	CB*	(M/F) All (H)*, RA	12-17*	En
Teen Health Project	SHE	●					12 mos	X	X	X	X			5	90-180 min	6 mos	CB*	(M/F)*, All*, LI*	12-17 (14-17)*	En
Teen Options to Prevent Pregnancy (TOPP)	C, HR			●	●		6-18 mos post-enrollment	X					X	18 calls 1 in-person visit	Varies	18 mos	HM*	F*, All, (W)*, P/P	10-19*	En
Teen Outreach Program (TOP)	PYD	●			●		Immediate post-intervention for sexual activity, 10 mos for pregnancy	X		X		X	X	25	Varies	8 mos	S*, OS, AS, CB	(M/F)*, All(AA, W)*, LGBTQ+	12-19 (14-17)*	En
Vision of You♦	SHE	●	●				9 mos	X	X				X	9	45 min	4-6 wks	OS*	All* (M/F), YAS*, JIY*	13-19 (14-17)*	En

## Program Type

**SHE** - Sexual health education  
**SRA** - Sexual risk avoidance  
**PYD** - Positive youth development  
**C** - Clinic-based  
**HR** - Healthy relationship  
**♦** - Added in 2023

## Settings

**S** - School  
**C** - Clinic  
**AS** - After-school program  
**CB** - Community-based  
**HM** - Home  
**OS** - Other setting, including virtual  
**\*** - Evaluated setting

## Intended Population

**F** - Female  
**M** - Male  
**AA** - African American  
**H** - Hispanic  
**AI/AN** - American Indian/Alaskan Native  
**W** - White  
**A** - Asian  
**All** - All races/ethnicities  
**LI** - Low income  
**R** - Rural  
**LGBTQ+** - LGBTQ+ inclusive  
**PF** - Program for families  
**YAS** - Youth in alternative schools

**HIV** - Parent with history of HIV  
**STI** - History of STI  
**SUD** - Substance use disorder  
**RA** - Runaway youth  
**JIY** - Justice-involved youth  
**P/P** - Parenting/parenting  
**P** - Parenting  
**\*** - Evaluated population

## Available Languages

**En** - English  
**Sp** - Spanish  
**O** - Other

## TPPER Outcomes

● Evidence of effect

This publication was supported by the Office of Population Affairs (Grant TPSAH000006). The views expressed do not necessarily reflect the official policies of the Department of Health and Human Services; nor does mention of trade names, commercial practices, or organizations imply endorsement by the U.S. Government.